

## GIANT CARPET TILE

>>> **EFFEX** (1 x 2 m)

## VELOURS ASPECT



The EFFEX textile tile allows an effective protection of sport floors against any damage (shocks, stains...). Textile tile velours aspect.



### Quick and easy installation

- No need for skilled staff
- 4 people can cover 800 sqm in one hour
- Large tiles: 1 x 2 m
- Self laying tiles, requiring no glue or adhesive to avoid damaging your sports floor
- Specially adapted transport trolley



### Effective protection of sports floors

Against all shocks, stains and damages due to:

- shoes
- furniture
- spilled food and liquids



### Advanced technology

- Innovative textile fibres designed to withstand heavy use
- White backing, unique on the market, odourless, leaving no trace on your sports floor
- Fire safety (Bfl-s1 fire certificate)



### Easy cleaning


- A simple vacuum cleaning or jet washing when necessary is enough
- A stained or damaged tile? No worries, just replace it with another one (guaranteed restock)



## GIANT CARPET TILE

>>> **EFFEX** (1 x 2 m)


## VELOURS ASPECT




1015 Grey




1005 Dark Grey



1020 Black



1040 Pure Solid Black



White backing,  
unique on the market  
leaving no trace on the floor

## TECHNICAL DATA

**Surface:** velours needlepunched textile tile

**Backing:** PLUS (polyolefin) white

**Fibre:** 100 % polypropylene

**Total weight:** 3200 g/m<sup>2</sup> ± 10%

**Total thickness:** 6 mm

**Installation:** loose laid

To avoid the checkerboard effect lay tiles in the same direction (see arrow on the back of the tile).

**Use classification (EN1307):** class 23 / class 32

**Comfort class:** LC2

**Test of the wheeled chair (EN985):** intensive use

**Antistatic properties (ISO6356):** ≤ 2 kV

**Acoustic isolation (EN1307):** ΔLw ≥ 20 dB

**Dimensional stability (EN986):** ≤ 0,2% - in both directions



## REFERENCES

1005 Dark Grey **GEXSW1005A200**

1015 Grey **GEXSW1015A200**


1020 Black **GEXSW1020A200**

1040 Pure Solid Black **GEXSW1040A200**


Minimum of order: 50 sqm per color, then multiple of 10 sqm.  
Possibility to mix colours.

As standard, batch number and arrows are printed on each tile.  
Possibility to add customer's name (20 characters maximum),  
1 to 2 markings / tile, black colour. Minimum of order: 1500 m<sup>2</sup>.  
For more information, please contact our sales team..


\*\* According to our warranty terms, see our website



Loose laid on any A2fl or A1fl class substrate




ASQUAL  
07  
EN 14041 : 2005  
N°0334-CPR-0201  
DOP26



BTTG  
23  
EN 14041 : 2005  
N°0338-CPR-5576  
DOPUK26

Formaldehyde E1 - No PCP



\*Information on the level of emissions of volatile substances in indoor air, with a risk of inhalation toxicity, on a class scale from A+ (very low emissions) to C (high emissions)

## >>> HANDLING TROLLEYS FOR GIANT CARPET TILES



### 120 TILES (240 m<sup>2</sup>)

MAX LOAD 800 kg | CONCORD | EFFEX

#### TECHNICAL DATA

**Load:** up to 800 kg maximum  
**Platform height:** 480 mm  
**Dimensions:** 2000 x 1000 mm  
**Inflatable wheels:** 400 x 80 mm  
**Weight:** 71,5 kg

Reference **CHARDAL800**

### 190 TILES (380 m<sup>2</sup>)

MAX LOAD 1250 kg | CONCORD | EFFEX

#### TECHNICAL DATA

**Load:** up to 1250 kg maximum  
**Platform height:** 490 mm  
**Dimensions:** 2000 x 1000 mm  
**Inflatable wheels leaving no trace on the sport floor:** 400 x 100 mm  
**Weight:** 113 kg

Reference **CHARDAL1250**

\* According to the warranty terms indicated in the instructions delivered with the trolley