



VINYL FLOORING

Vinyl flooring Collection
for events, trade fairs, exhibitions...

COLLECTION 2026 / 2028



1205 Oak Grey NEW WODVW1205

✓ in stock : 4 m x 30 m

📋 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width: 11,1 cm

Repeat: 100 x 100 cm



1594 Herringbone NEW WODVW1594

✓ in stock : 4 m x 30 m

📋 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width: 11,8 cm

Repeat: 199 x 100 cm



0832 Pear **NEW** WODVW0832

✓ in stock : 3 m x 30 m / 4 m x 30 m

📋 on order : 2 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width: 14,4 cm

Repeat: 100 x 100 cm



0847 Chocolate **NEW** WODVW0847

✓ in stock : 4 m x 30 m

📋 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width : 14,4 cm

Repeat: 100 x 100 cm



0890 Oak White **NEW** WODVW0890

✓ in stock : 3 m x 30 m / 4 m x 30 m

📦 on order : 2 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width: 14,4 cm

Repeat: 100 x 100 cm



0896 Rustic Oak Brown **NEW** WODVW0896

✓ in stock : 4 m x 30 m

📦 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width : 14,4 cm

Repeat: 100 x 100 cm



0899 Oak Black NEW WODVW0899

✓ in stock : 4 m x 30 m

📋 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width: 14,4 cm

Repeat: 100 x 100 cm



0594 Oak Dark Grey NEW WODVW0594

✓ in stock : 4 m x 30 m

📋 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width: 16,5 cm

Repeat: 99,5 x 150 cm



2008 Oak Grey Brown NEW WODVW2008

✓ in stock : 4 m x 30 m

📋 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS



Planks width: 20 cm



0208 Oak Natural NEW WODVW0208

✓ in stock : 3 m x 30 m / 4 m x 30 m

📋 on order : 2 m x 30 m

Total thickness: 2,80 mm

Wearlayer: 0,20 mm

Total weight: 1600 g/m² ± 10%

Slip resistance: DS




Planks width variable from 9 to 14 cm.

Repeat: 99,5 x 150 cm

STAGE FLOOR

Matt-Solid effect



16013 Black
VT SOM16013



16029 White
VT SOM16029



1015 Dark Grey
TRD VW1015



16014 Grey
VT SOM16014


- ✓ in stock : 2 m x 30 m / 4 m x 30 m
📦 on order : 3 m x 30 m

Total thickness: 2,60 mm
Wearlayer: 0,25 mm
Total weight: 1690 g/m² ± 10%
Slip resistance: R10 (DIN 51130)



CHEQUER PLATE

Treadplate effect



PRYSOM0065

- ✓ in stock : 4 m x 30 m
📦 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm
Wearlayer: 0,20 mm
Total weight: 1600 g/m² ± 10%
Slip resistance: DS



CHESS BOARD

Chess Board effect



VTSOM15990

- ✓ in stock : 4 m x 30 m
📦 on order : 2 m x 30 m / 3 m x 30 m

Total thickness: 2,80 mm
Wearlayer: 0,20 mm
Total weight: 1600 g/m² ± 10%
Slip resistance: DS



CONCRETE Look

Concrete-look vinyl



1005 Cloudy Grey
VTSOM23070

✓ in stock : 2 m x 30 m

Total thickness: 2,50 mm

Wearlayer: 0,25 mm

Total weight: 1650 g/m² ± 10%


Slip resistance: DS



EN 14041
26-DOP-VB12

PENNY DOT

Unicolor vinyl with dots



0020 Black
DOTSOM0020

✓ in stock : 2 m x 30 m

Total thickness: 1,15 mm

Wearlayer: 0,15 mm

Total weight: 1100 g/m² ± 10%

Slip resistance: R9 (EN 13893)



0010 White
DOTSOM0010



EN 14041
05-DOP-V001



Advice: lay on a smooth floor to avoid seeing the floor irregularities.

For more information, please contact our sales team.



Sommer Flooring Ltd
Unit J, 2 Prologis Park
Central Boulevard
Coventry – CV6 4QJ

www.sommerltd.com
Tel: 024 7798 1711
info@sommerltd.com



PVC-UK-2028-A1-0926 / Photo credit: Sommer
Sommer has the right to alter each product specification
in order to improve the product according to latest standards.